


<b>FAQ</b>	<i>Materials &amp; Construction</i>	2
	<i>Paint Grade Materials</i>	3
	<i>Free-Standing vs. In-Series</i>	4
<b>WOOD RANGE HOODS</b>	<i>Axton (AX-Series)</i>	5-6
	<i>Birmingham (B-Series)</i>	7-8
	<i>Elevation (E-Series)</i>	9-10
	<i>Elegance (E200-Series) previously named: E2</i>	11-12
	<i>Erwin (ER200)</i>	13-14
	<i>Erie (ER300)</i>	15-16
	<i>Kilgore (K300-Series)</i>	17-18
	<i>Zenith (Z200)</i>	19-20
<b>VENTILATION</b>	<i>Stainless Base w/ Baffle Filters (SS-BASE) – Specs</i>	21-22
	<i>Pro Mesh (PML) Vents – Specs</i>	23-24
	<i>Pro Baffle (PBL) Vents – Specs</i>	25-26
	<i>PML – PBL – SS-BASE – Duct Height Guide</i>	27
	<i>Imperial Standard (ISL) Vents – Specs</i>	28-29
	<i>ISL – Duct Height Guide</i>	30
	<i>General Vent Guidelines</i>	31
<b>MODIFICATIONS/ ACCESSORIES</b>	<i>Removable Top</i>	32
	<i>Curved Battens</i>	33

Stanisci Design uses only the finest materials. Range hoods often become the focal point of the kitchen. All solid wood components are hand selected for color. All Stanisci Design Products are TSCA (C.A.R.B) compliant. Hoods are sanded to 180 grit, ready to be finished.



## Paint Grade Materials

The specifications below will provide information and define our Paint Grade species offering. This material selection is made from the best products available in the market and will give you superior results when painting.

**Hybrid Hood** – Paint Grade will be constructed using for the body of the hood, 1/2" thick MDF or HDF with no veneer thus providing a smooth surface to paint. We are also utilizing a 3/4" thick plywood core with an 1/8" HDF (high density fiber) outer layer, commonly referred to as a Combi Core. Both materials present a smooth surface to finish and are considered the best materials on the market for painting. All molding and hardwood pieces will continue to be Paint Grade Hard Maple. All structural parts will continue to be 3/4" thick veneer core plywood.

**Superior Surface** for curved hoods – We use a bendable material exclusively designed for painting on all our curved hoods. This material is referred to as Superior Surface. It will be used on the curved section of the hood. This is a paintable man-made material which is impregnated with resin. This is a proprietary material which we have worked with our suppliers to develop for our curved hoods. It is very smooth, stable and has great adhesion.

**Hybrid Doors** – Doors will be constructed with a Paint Grade Hard Maple frame and MDF panels – raised or flat panels. Hybrid center panels have been tested extensively in the market and have proven to be effective in providing a more durable and superior product for painting. The machining on the hybrid MDF panel profiles is just as precise and clean cut as with solid wood panels. The Hybrid MDF panel provides a more stable product that does not expand and contract like a solid wood center panel. The elimination of center panel shrinking virtually eliminates raw material showing along the outside of a center panel as the seasons change. Eliminating expansion of the center panel also helps to reduce hairline cracks that may develop in the mortise and tenon joint of the door framing.

### Paint Grade:

Hood/Cabinet Sides: 3/4" thick Combi Core Plywood

Mitered Portions: 1/2" thick MDF/HDF

Curved Sections: Superior Surface



#### **FREE – STANDING HOODS**

Free-standing range hoods are mounted to the wall above the cooking surface, and stand alone from any adjacent cabinetry. These hoods will not have flush sides, and typically have design elements or decorative accents that prohibit a cabinet from being installed flush against the sides.




FREE-STANDING MODELS: AX, B, E, E200, ER200

#### **IN-SERIES HOODS**


In-Series hoods are mounted to the wall above the cooking surface, and have completely flush sides. Moldings and decorative accents will not extend past the sides. This allows cabinetry to be installed on either side of the range hood to achieve a continuous design, but can also be used in a stand-alone design. .



IN-SERIES MODELS: ER300, K300, Z200



AX shown with 2 slats (AX-2)



AX shown with 3 slats (AX-3)


## AX Series

Standard Widths	31, 37, 43, 49, 55, 61 (Reduced widths available)
Standard Heights	24, 30, 36, 42, 48 (Reduced heights available)
Removable Options	Not Available
Standard assumptions	Slat spacing is 13/16" (designed to yield 3/4" W x 1/2" D space after finish applied.) All slats will be equal height Average weight could exceed 100 pounds. Hood must be properly anchored to the wall
Ventilation	Hood must be a minimum of 1" wider than available vent width. Example: To use a 36" vent model, the hood should be a minimum of 37" wide
Grain Direction	Horizontal




Standard Heights: 24, 30, 36, 42, 48

AX - 2 Slat




AX-2-3124	6,654
AX-2-3130	6,973
AX-2-3136	7,307
AX-2-3142	7,655
AX-2-3148	8,003
AX-2-3724	6,901
AX-2-3730	7,292
AX-2-3736	7,669
AX-2-3742	8,075
AX-2-3748	8,481
AX-2-4324	7,263
AX-2-4330	7,713
AX-2-4336	8,133
AX-2-4342	8,583
AX-2-4348	9,033
AX-2-4924	7,771
AX-2-4930	8,235
AX-2-4936	8,714
AX-2-4942	9,207
AX-2-4948	9,700
AX-2-5524	8,046
AX-2-5530	8,540
AX-2-5536	9,062
AX-2-5542	9,642
AX-2-5548	10,222
AX-2-6124	8,394
AX-2-6130	8,946
AX-2-6136	9,511
AX-2-6142	10,106
AX-2-6148	10,700

AX - 3 Slat



AX-3-3124	6,807
AX-3-3130	7,134
AX-3-3136	7,476
AX-3-3142	7,833
AX-3-3148	8,190
AX-3-3724	7,060
AX-3-3730	7,461
AX-3-3736	7,848
AX-3-3742	8,264
AX-3-3748	8,680
AX-3-4324	7,431
AX-3-4330	7,892
AX-3-4336	8,323
AX-3-4342	8,784
AX-3-4348	9,245
AX-3-4924	7,952
AX-3-4930	8,427
AX-3-4936	8,918
AX-3-4942	9,423
AX-3-4948	9,929
AX-3-5524	8,234
AX-3-5530	8,740
AX-3-5536	9,275
AX-3-5542	9,869
AX-3-5548	10,464
AX-3-6124	8,591
AX-3-6130	9,156
AX-3-6136	9,736
AX-3-6142	10,345
AX-3-6148	10,955



*B Series shown with Hardwood Base (BHW)*


### B Series

Standard Widths	36, 42, 48, 54, 60 (Reduced widths available)
Standard Heights	30, 36, 42, 48 (Reduced heights available)
Removable Options	Standard Removable Top (RT) – see modifications section.
Ventilation	Hood will be same width as available vent width. Example: To use a 36" vent model, the hood should be a minimum of 36" wide.
Grain Direction	Vertical (Base is horizontal)

700 South Glaspie Street • Oxford, MI 48371 • (248) 572-6880 • email: [sales@wood-hood.com](mailto:sales@wood-hood.com) • [www.wood-hood.com](http://www.wood-hood.com)

Standard Heights: 30, 36, 42, 48


#### B- Hardwood Base



BHW3630	16,226
BHW3636	16,480
BHW3642	16,726
BHW3648	16,929
BHW4230	16,596
BHW4236	16,850
BHW4242	17,096
BHW4248	17,299
BHW4830	17,002
BHW4836	17,256
BHW4842	17,509
BHW4848	17,712
BHW5430	17,879
BHW5436	18,133
BHW5442	18,380
BHW5448	18,619
BHW6030	18,278
BHW6036	18,532
BHW6042	18,786
BHW6048	19,148


#### B- SS Base

**\*\*Price Shown reflects wood hood pricing only.  
Be sure to add appropriate Baffle Base Cost (P.21-22)**




BSS3630	16,226
BSS3636	16,480
BSS3642	16,726
BSS3648	16,929
BSS4230	16,596
BSS4236	16,850
BSS4242	17,096
BSS4248	17,299
BSS4830	17,002
BSS4836	17,256
BSS4842	17,509
BSS4848	17,712
BSS5430	17,879
BSS5436	18,133
BSS5442	18,380
BSS5448	18,619
BSS6030	18,278
BSS6036	18,532
BSS6042	18,786
BSS6048	19,148





*E Series shown with Hardwood Base (EHW)*



**CURVED BATTENS AVAILABLE ON E-SERIES**


36" wide: 2 on face  
 42" and 48" wide: 3 on face  
 54" and 60" wide: 4 on face  
 \* side battens available by request

### E Series


Standard Widths	36, 42, 48, 54, 60 (Reduced widths available)
Standard Heights	30, 36, 42, 48 (Reduced heights available)
Removable Options	Standard Removable Top (RT) – see modifications section.
Available Options	Hardwood Battens (See batten options page)
Ventilation	Hood will be same width as available vent width. Example: To use a 36" vent model, the hood should be a minimum of 36" wide
Grain Direction	Vertical (Base is horizontal)

Standard Heights: 30, 36, 42, 48

#### E- Hardwood Base




#### E- Hardwood Base/Battens



#### E- SS Base

**\*\*Price Shown reflects wood hood pricing only.  
Be sure to add appropriate Baffle Base Cost (P.21-22)**



EHW3630	13,956
EHW3636	14,174
EHW3642	14,391
EHW3648	14,609
EHW4230	14,275
EHW4236	14,493
EHW4242	14,703
EHW4248	14,921
EHW4830	14,631
EHW4836	14,848
EHW4842	15,058
EHW4848	15,276
EHW5430	15,058
EHW5436	15,276
EHW5442	15,486
EHW5448	15,704
EHW6030	15,486
EHW6036	15,704
EHW6042	15,921
EHW6048	16,139

EHW3630-BAT	15,203
EHW3636-BAT	15,421
EHW3642-BAT	15,638
EHW3648-BAT	15,856
EHW4230-BAT	15,522
EHW4236-BAT	15,740
EHW4242-BAT	15,950
EHW4248-BAT	16,168
EHW4830-BAT	15,878
EHW4836-BAT	16,095
EHW4842-BAT	16,305
EHW4848-BAT	16,523
EHW5430-BAT	16,305
EHW5436-BAT	16,523
EHW5442-BAT	16,733
EHW5448-BAT	16,951
EHW6030-BAT	16,733
EHW6036-BAT	16,951
EHW6042-BAT	17,168
EHW6048-BAT	17,386


ESS3630	13,956
ESS3636	14,174
ESS3642	14,391
ESS3648	14,609
ESS4230	14,275
ESS4236	14,493
ESS4242	14,703
ESS4248	14,921
ESS4830	14,631
ESS4836	14,848
ESS4842	15,058
ESS4848	15,276
ESS5430	15,058
ESS5436	15,276
ESS5442	15,486
ESS5448	15,704
ESS6030	15,486
ESS6036	15,704
ESS6042	15,921
ESS6048	16,139

Previously Named: E2

**STANISCI**  
DESIGN™


## Elegance - E200 Series

**Free Standing**



Depth is 22-1/4"

*E200 Series shown with Hardwood Base (E200HW)*



### **AVAILABLE ON E200**

30" – 48" wide: 4 battens on face

54" and 60" wide: 5 battens on face

## E200 Series

Standard Widths	30, 36, 42, 48, 54, 60 (Reduced widths available)
Standard Heights	24, 30, 36, 42, 48 (Reduced heights available)
Removable Options	Standard Removable Top (RT) – see modifications section.
Available options	Hardwood Battens (See batten options page)
Ventilation	Hood will be same width as available vent width. Example: To use a 36" vent model, the hood should be a minimum of 36" wide
Grain Direction	Vertical (Base is horizontal)

700 South Glaspie Street • Oxford, MI 48371 • (248) 572-6880 • email: [sales@wood-hood.com](mailto:sales@wood-hood.com) • [www.wood-hood.com](http://www.wood-hood.com)

Previously Named: E2


**STANISCI**  
DESIGN™

## Elegance – E200 Series

**Free Standing**


Standard Heights: 24, 30, 36, 42, 48

### E200- Hardwood Base



E200HW3024	9,040
E200HW3030	9,439
E200HW3036	9,830
E200HW3042	10,374
E200HW3048	10,918
E200HW3624	9,352
E200HW3630	9,823
E200HW3636	10,280
E200HW3642	10,874
E200HW3648	11,469
E200HW4224	9,779
E200HW4230	10,331
E200HW4236	10,838
E200HW4242	11,455
E200HW4248	12,071
E200HW4824	10,403
E200HW4830	10,961
E200HW4836	11,527
E200HW4842	12,223
E200HW4848	12,919
E200HW5424	10,722
E200HW5430	11,317
E200HW5436	11,962
E200HW5442	12,782
E200HW5448	13,601
E200HW6024	11,143
E200HW6030	11,817
E200HW6036	12,499
E200HW6042	13,304
E200HW6048	14,109

### E200- Hardwood Base/Battens




E200HW3024-BAT	10,287
E200HW3030-BAT	10,686
E200HW3036-BAT	11,077
E200HW3042-BAT	11,621
E200HW3048-BAT	12,165
E200HW3624-BAT	10,599
E200HW3630-BAT	11,070
E200HW3636-BAT	11,527
E200HW3642-BAT	12,121
E200HW3648-BAT	12,716
E200HW4224-BAT	11,026
E200HW4230-BAT	11,578
E200HW4236-BAT	12,085
E200HW4242-BAT	12,702
E200HW4248-BAT	13,318
E200HW4824-BAT	11,650
E200HW4830-BAT	12,208
E200HW4836-BAT	12,774
E200HW4842-BAT	13,470
E200HW4848-BAT	14,166
E200HW5424-BAT	11,969
E200HW5430-BAT	12,564
E200HW5436-BAT	13,209
E200HW5442-BAT	14,029
E200HW5448-BAT	14,848
E200HW6024-BAT	12,390
E200HW6030-BAT	13,064
E200HW6036-BAT	13,746
E200HW6042-BAT	14,551
E200HW6048-BAT	15,356

### E200- SS Base


**\*\*Price Shown reflects wood hood pricing only.**

**Be sure to add appropriate Baffle Base Cost (P.21-22)**




E200SS3024	9,040
E200SS3030	9,439
E200SS3036	9,830
E200SS3042	10,374
E200SS3048	10,918
E200SS3624	9,352
E200SS3630	9,823
E200SS3636	10,280
E200SS3642	10,874
E200SS3648	11,469
E200SS4224	9,779
E200SS4230	10,331
E200SS4236	10,838
E200SS4242	11,455
E200SS4248	12,071
E200SS4824	10,403
E200SS4830	10,961
E200SS4836	11,527
E200SS4842	12,223
E200SS4848	12,919
E200SS5424	10,722
E200SS5430	11,317
E200SS5436	11,962
E200SS5442	12,782
E200SS5448	13,601
E200SS6024	11,143
E200SS6030	11,817
E200SS6036	12,499
E200SS6042	13,304
E200SS6048	14,109

700 South Glaspie Street • Oxford, MI 48371 • (248) 572-6880 • email: [sales@wood-hood.com](mailto:sales@wood-hood.com) • [www.wood-hood.com](http://www.wood-hood.com)



*ER200 Series shown with Hardwood Base (ER200HW)*



*ER200 Series shown with Hardwood Base (ER200HW) and optional Hardwood Battens*


### ER200 Series

Standard Widths	30, 36, 42, 48, 54, 60 (Reduced widths available)
Standard Heights	30, 36, 42, 48, 54, 60 (Reduced heights available)
Removable Options	Not available
Available Options	Hardwood Battens (See batten options page)
Ventilation	Hood will be same width as available vent width. Example: To use a 36" vent model, the hood should be a minimum of 36" wide.
Grain Direction	Vertical (base is horizontal)


Standard Heights: 30, 36, 42, 48, 54, 60

\* Hoods over 48" Wide have a maximum height of 48".

#### ER200- Hardwood Base




#### ER200- Hardwood Base/Battens



#### ER200- SS Base

**\*\*Price Shown reflects wood hood pricing only.**

**Be sure to add appropriate Baffle Base Cost (P.21-22)**





ER200HW3030	9,439
ER200HW3036	9,830
ER200HW3042	10,374
ER200HW3048	10,918
ER200HW3054	11,363
ER200HW3060	11,798
ER200HW3630	9,823
ER200HW3636	10,280
ER200HW3642	10,874
ER200HW3648	11,469
ER200HW3654	11,916
ER200HW3660	12,351
ER200HW4230	10,331
ER200HW4236	10,838
ER200HW4242	11,455
ER200HW4248	12,071
ER200HW4254	12,518
ER200HW4260	12,953
ER200HW4830	10,961
ER200HW4836	11,527
ER200HW4842	12,223
ER200HW4848	12,919
ER200HW4854	13,366
ER200HW4860	13,796
*ER200HW5430	11,317
*ER200HW5436	11,962
*ER200HW5442	12,782
*ER200HW5448	13,601
*ER200HW6030	11,817
*ER200HW6036	12,499
*ER200HW6042	13,304
*ER200HW6048	14,109

ER200HW3030-BAT	10,686
ER200HW3036-BAT	11,077
ER200HW3042-BAT	11,621
ER200HW3048-BAT	12,165
ER200HW3054-BAT	12,610
ER200HW3060-BAT	13,045
ER200HW3630-BAT	11,070
ER200HW3636-BAT	11,527
ER200HW3642-BAT	12,121
ER200HW3648-BAT	12,716
ER200HW3654-BAT	13,163
ER200HW3660-BAT	13,598
ER200HW4230-BAT	11,578
ER200HW4236-BAT	12,085
ER200HW4242-BAT	12,702
ER200HW4248-BAT	13,318
ER200HW4254-BAT	13,765
ER200HW4260-BAT	14,200
ER200HW4830-BAT	12,208
ER200HW4836-BAT	12,774
ER200HW4842-BAT	13,470
ER200HW4848-BAT	14,166
ER200HW4854-BAT	14,613
ER200HW4860-BAT	15,043
*ER200HW5430-BAT	12,564
*ER200HW5436-BAT	13,209
*ER200HW5442-BAT	14,029
*ER200HW5448-BAT	14,848
*ER200HW6030-BAT	13,064
*ER200HW6036-BAT	13,746
*ER200HW6042-BAT	14,551
*ER200HW6048-BAT	15,356

ER200SS3030	9,439
ER200SS3036	9,830
ER200SS3042	10,374
ER200SS3048	10,918
ER200SS3054	11,363
ER200SS3060	11,798
ER200SS3630	9,823
ER200SS3636	10,280
ER200SS3642	10,874
ER200SS3648	11,469
ER200SS3654	11,916
ER200SS3660	12,351
ER200SS4230	10,331
ER200SS4236	10,838
ER200SS4242	11,455
ER200SS4248	12,071
ER200SS4254	12,518
ER200SS4260	12,953
ER200SS4830	10,961
ER200SS4836	11,527
ER200SS4842	12,223
ER200SS4848	12,919
ER200SS4854	13,366
ER200SS4860	13,796
*ER200SS5430	11,317
*ER200SS5436	11,962
*ER200SS5442	12,782
*ER200SS5448	13,601
*ER200SS6030	11,817
*ER200SS6036	12,499
*ER200SS6042	13,304
*ER200SS6048	14,109





ER300 Series shown with optional Hardwood Battens


## ER300 Series

Standard Widths	30, 36, 42, 48, 54, 60 (Reduced widths available)
Standard Heights	36, 42, 48, 54, 60 (Reduced heights available)
Removable Options	Not available
Available Options	Hardwood Battens (See batten options page)
Ventilation	Hood will be same width as available vent width. Example: To use a 36" vent model, the hood should be a minimum of 36" wide.
Grain Direction	Vertical


Standard Heights: 36, 42, 48, 54, 60

*\* Hoods over 48" Wide have a maximum height of 42"*

ER300




ER300/Battens



ER300-3036	9,105
ER300-3042	9,649
ER300-3048	10,084
ER300-3054	10,519
ER300-3060	10,947
ER300-3636	9,555
ER300-3642	10,149
ER300-3648	10,584
ER300-3654	11,019
ER300-3660	11,447
ER300-4236	10,113
ER300-4242	10,729
ER300-4248	11,164
ER300-4254	11,600
ER300-4260	12,027
ER300-4836	10,802
ER300-4842	11,498
ER300-4848	11,933
ER300-4854	12,368
ER300-4860	12,796
*ER300-5436	11,237
*ER300-5442	12,056
*ER300-6036	11,774
*ER300-6042	12,209

ER300-3036-BAT	10,352
ER300-3042-BAT	10,896
ER300-3048-BAT	11,331
ER300-3054-BAT	11,766
ER300-3060-BAT	12,194
ER300-3636-BAT	10,802
ER300-3642-BAT	11,396
ER300-3648-BAT	11,831
ER300-3654-BAT	12,266
ER300-3660-BAT	12,694
ER300-4236-BAT	11,360
ER300-4242-BAT	11,976
ER300-4248-BAT	12,411
ER300-4254-BAT	12,847
ER300-4260-BAT	13,274
ER300-4836-BAT	12,049
ER300-4842-BAT	12,745
ER300-4848-BAT	13,180
ER300-4854-BAT	13,615
ER300-4860-BAT	14,043
*ER300-5436-BAT	12,484
*ER300-5442-BAT	13,303
*ER300-6036-BAT	13,021
*ER300-6042-BAT	13,456



*K300 Series Hood (K300)*


### K300 Series

Standard Widths	30, 36, 42, 48, 54, 60 (Reduced widths available)
Standard Heights	30, 36, 42, 48, 54, 60 (Reduced heights available)
Removable Options	Not available
Ventilation	Hood will be same width as available vent width. Example: To use a 36" vent model, the hood should be a minimum of 36" wide. (PML – Special Depth 18-1/8" Pro Mesh Liner is only available Stanisci vent unit)
Grain Direction	<ul style="list-style-type: none"> <li>Vertical</li> <li>Hoods over 48" wide will have horizontal grain</li> </ul>


Standard Heights: 30, 36, 42, 48, 54, 60

\* Hoods over 48" wide have a maximum height of 42" and will have horizontal grain.

### K300



K300-3030	5,363
K300-3036	5,614
K300-3042	5,875
K300-3048	6,223
K300-3054	6,661
K300-3060	7,096
K300-3630	5,603
K300-3636	5,886
K300-3642	6,190
K300-3648	6,538
K300-3654	6,973
K300-3660	7,408
K300-4230	5,918
K300-4236	6,234
K300-4242	6,571
K300-4248	6,919
K300-4254	7,358
K300-4260	7,800
K300-4830	6,310
K300-4836	6,669
K300-4842	7,038
K300-4848	7,387
K300-4854	7,822
K300-4860	8,257
<u>K300H (Horizontal Grain)</u>	
K300H-5430	6,538
K300H-5436	6,930
K300H-5442	7,365
K300H-6030	6,843
K300H-6036	7,267
K300H-6042	7,713



*Z200 series shown with PL Base (Z200PL)*


## Z200 Series

Standard Widths	33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63 (Reduced widths available)
Standard Heights	30, 36, 42, 48 (Reduced heights available)
Removable Options	Not available
Ventilation	Hood must be a minimum of 3" wider than available vent width. Example: To use a 36" vent model, the hood should be a minimum of 39" wide.
Grain Direction	Vertical (Base is horizontal) Hoods over 48" wide will have horizontal grain on sloped front

Standard Heights: 30, 36, 42, 48

*\* Hoods over 48" wide will have horizontal grain on sloped front.*

### Z200- PL Base



Z200PL-3330	4,928
Z200PL-3336	4,928
Z200PL-3342	5,269
Z200PL-3348	5,269
Z200PL-3630	5,139
Z200PL-3636	5,139
Z200PL-3642	5,479
Z200PL-3648	5,479
Z200PL-3930	5,139
Z200PL-3936	5,139
Z200PL-3942	5,479
Z200PL-3948	5,479
Z200PL-4230	5,371
Z200PL-4236	5,371
Z200PL-4242	5,711
Z200PL-4248	5,711
Z200PL-4530	5,371
Z200PL-4536	5,371
Z200PL-4542	5,711
Z200PL-4548	5,711
Z200PL-4830	5,857
Z200PL-4836	5,857
Z200PL-4842	6,212
Z200PL-4848	6,212
Z200PL-5130	5,857
Z200PL-5136	5,857
Z200PL-5142	6,212
Z200PL-5148	6,212
Z200PL-5430	7,633
Z200PL-5436	7,633
Z200PL-5442	7,988
Z200PL-5448	7,988
Z200PL-5730	7,633
Z200PL-5736	7,633
Z200PL-5742	7,988
Z200PL-5748	7,988
Z200PL-6030	8,300
Z200PL-6036	8,300
Z200PL-6042	8,656
Z200PL-6048	8,656
Z200PL-6330	8,300
Z200PL-6336	8,300
Z200PL-6342	8,656
Z200PL-6348	8,656



### *SS Base w/ Baffle Filters*

#### *Technical Features:*

- 6" high metal base available in Stainless
- Fully integrated baffle liner on the underside of metal base
- Dimmer controlled LED lighting
- Variable speed fan control
- Large dishwasher safe brushed stainless steel baffle filters
- Several blower combinations available
- Liner sizes available from 30" – 60"



Stanisci Design ventilation has been engineered specifically for Stanisci Design Range Hoods, and are in-stock and ready to ship!


#### Features your customers want:

- Dishwasher safe filters
- Easy cleaning
- Dimmer controlled LED lighting
- European design
- Three year in home warranty
- Quiet, variable speed blower- made in Germany



<b>SM600/300</b> SS-BASE-600/300-XX	<b>600 CFM motor</b> *comes with optional wire harness to reduce max CFM to 300	<b>SM1200</b> SS-BASE-1200-XX	<b>1200 CFM motor</b>
<b>DUCTING</b>	<b>8" ROUND</b>	<b>DUCTING</b>	<b>10" ROUND</b>
<b>AMPS</b>	110V - 15 amp dedicated circuit	<b>AMPS</b>	110V - 15 amp dedicated circuit
SS-BASE-600/300-30: 30 W x 22-1/4 D \$8,214 SS-BASE-600/300-36: 36 W x 22-1/4 D \$8,438 SS-BASE-600/300-42: 42 W x 22-1/4 D \$8,680 SS-BASE-600/300-48: 48 W x 22-1/4 D \$8,842 SS-BASE-600/300-54: 54 W x 22-1/4 D \$9,132 SS-BASE-600/300-60: 60 W x 22-1/4 D \$9,242		NOT AVAILABLE IN 30" WIDE SS-BASE-1200-36: 36 W x 22-1/4 D \$10,240 SS-BASE-1200-42: 42 W x 22-1/4 D \$10,490 SS-BASE-1200-48: 48 W x 22-1/4 D \$10,644 SS-BASE-1200-54: 54 W x 22-1/4 D \$10,934 SS-BASE-1200-60: 60 W x 22-1/4 D \$11,048	

30-42" liners have 2 LED bulbs  
 48" liners have 3 LED bulbs  
 54-60" liners have 4 LED bulbs.  
 LED BULBS – 50W equivalent



Vent Width / Model

WOOD HOOD MODEL & SIZE	SS-BASE-30	SS-BASE-36	SS-BASE-42	SS-BASE-48	SS-BASE-54	SS-BASE-60
E200, ER200,	30	36	42	48	54	60
B, E,	N/A	36	42	48	54	60

### *Professional Mesh Liners*

### *Technical Features:*

- Dimmer LED lighting
- Variable speed fan control
- Large dishwasher safe stainless steel mesh insert filters
  - Several blower combinations available
- Liner sizes available from 30" – 60"
- Made exclusively for Stanisci Design by Modern-Aire Ventilation



Stanisci Design ventilation has been engineered specifically for Stanisci Design Range Hoods, and are in-stock and ready to ship!


### Features your customers want:

- Dishwasher safe filters
- Dimmer controlled LED lighting
- European design
- Three year in home warranty
- Quiet, variable speed blower- made in Germany
- Charcoal filters available for re-circulating applications (air must be directed out of hood to maintain warranties).



<b>SM600/300</b> PML-600/300-XX	<b>600 CFM motor</b> *comes with optional wire harness to reduce max CFM to 300	<b>SM1200</b> PML-1200-XX	<b>1200 CFM motor</b>
<b>DUCTING</b>	8" ROUND	<b>DUCTING</b>	10" ROUND
<b>AMPS</b>	110V - 15 amp dedicated circuit	<b>AMPS</b>	110V - 15 amp dedicated circuit
PML-600/300-30: 28-3/8 W x 20-5/8 D \$6,197 PML-600/300-36: 34-3/8 W x 20-5/8 D \$6,372 PML-600/300-42: 40-3/8 W x 20-5/8 D \$6,560 PML-600/300-48: 46-3/8 W x 20-5/8 D \$6,808 PML-600/300-54: 52-3/8 W x 20-5/8 D \$7,107 PML-600/300-60: 58-3/8 W x 20-5/8 D \$7,355		NOT AVAILABLE IN 30" WIDE PML-1200-36: 34-3/8 W x 20-5/8 D \$8,175 PML-1200-42: 40-3/8 W x 20-5/8 D \$8,367 PML-1200-48: 46-3/8 W x 20-5/8 D \$8,610 PML-1200-54: 52-3/8 W x 20-5/8 D \$8,913 PML-1200-60: 58-3/8 W x 20-5/8 D \$9,157	

30-42" liners have 2 LED bulbs  
 48" liners have 3 LED bulbs  
 54-60" liners have 4 LED bulbs.  
 LED BULBS – 50W equivalent



Vent Width / Model

WOOD HOOD MODEL & SIZE	28-3/8"	34-3/8"	40-3/8"	46-3/8"	52-3/8"	58-3/8"
	PML-30	PML-36	PML-42	PML-48	PML-54	PML-60
E200, ER200, ER300, K300**	30	36	42	48	54	60
B, E,	N/A	36	42	48	54	60
Z200	33 or 36	39 or 42	45 or 48	51 or 54	57 or 60	63
AX	31	37	43	49	55	61

### *Professional Baffle Liners*

#### *Technical Features:*

- Dimmer controlled LED lighting
  - Variable speed fan control
- Large dishwasher safe brushed stainless steel baffle filters
  - Large capture area
    - Several blower combinations available
- Liner sizes available from 30" – 60"
- 22 gauge Stainless Steel



Stanisci Design ventilation has been engineered specifically for Stanisci Design Range Hoods, and are in-stock and ready to ship!

#### Features your customers want:


- Dishwasher safe filters
- Easy cleaning
- Dimmer controlled LED lighting
- European design
- Three year in home warranty
- Quiet, variable speed blower- made in Germany





<b>SM600/300</b> PBL-600/300-XX	<b>600 CFM motor</b> *comes with optional wire harness to reduce max CFM to 300	<b>SM1200</b> PBL-1200-XX	<b>1200 CFM motor</b>
<b>DUCTING</b>	<b>8" ROUND</b>	<b>DUCTING</b>	<b>10" ROUND</b>
<b>AMPS</b>	110V - 15 amp dedicated circuit	<b>AMPS</b>	110V - 15 amp dedicated circuit
PBL-600/300-30: 28-3/8 W x 20-5/8 D \$8,213 PBL-600/300-36: 34-3/8 W x 20-5/8 D \$8,439 PBL-600/300-42: 40-3/8 W x 20-5/8 D \$8,678 PBL-600/300-48: 46-3/8 W x 20-5/8 D \$8,841 PBL-600/300-54: 52-3/8 W x 20-5/8 D \$9,131 PBL-600/300-60: 58-3/8 W x 20-5/8 D \$9,242		<b>NOT AVAILABLE IN 30" WIDE</b> PBL-1200-36: 34-3/8 W x 20-5/8 D \$10,242 PBL-1200-42: 40-3/8 W x 20-5/8 D \$10,489 PBL-1200-48: 46-3/8 W x 20-5/8 D \$10,643 PBL-1200-54: 52-3/8 W x 20-5/8 D \$10,934 PBL-1200-60: 58-3/8 W x 20-5/8 D \$11,049	

30-42" liners have 2 LED bulbs  
 48" liners have 3 LED bulbs  
 54-60" liners have 4 LED bulbs.  
 LED BULBS – 50W equivalent




Vent Width / Model

WOOD HOOD MODEL & SIZE	28-3/8" PBL-30	34-3/8" PBL-36	40-3/8" PBL-42	46-3/8" PBL-48	52-3/8" PBL-54	58-3/8" PBL-60
E200, ER200, ER300,	30	36	42	48	54	60
B, E,	N/A	36	42	48	54	60
Z200	33 or 36	39 or 42	45 or 48	51 or 54	57 or 60	63
AX	31	37	43	49	55	61

\*K300 Hood not available with Baffle Liner (PBL)





*\*Please note some cooktops require the range hood to be mounted higher than 30", see manufacturers specifications*

### *Imperial Standard Liners*

- LED lighting
- Two speed fan control
- Large capture area
- Single 360 CFM Air Ring Fan
- Liner sizes 30" and 36"
- Stainless Steel design w/ large, easy to clean aluminum mesh filters



Stanisci Design ventilation has been engineered specifically for Stanisci Design Range Hoods, and are in-stock and ready to ship!


#### Features your customers want:

- Easy to clean filters
- Two speed fan control
- Single- 5 Watt LED, comparable to 50 Watt Halogen with Hi-Lo switch
- Three year in home warranty
- Axial Fan



NOT APPROVED FOR  
USE IN CANADA

<b>360</b> ISL-360-XX	<b>360 CFM motor</b>	
<b>DUCTING</b>	7" ROUND	
<b>AMPS</b>	110V - 15 amp dedicated circuit	
ISL-360-30:	28-3/8 W x 20-5/8 D	\$945
ISL-360-36:	34-3/8 W x 20-5/8 D	\$991



30" and 36" liners have 1 LED bulb  
LED BULBS – 50W equivalent


Wood Hood Model and Size	28-3/8"	34-3/8"
	ISL-30	ISL-36
E200, ER200, ER300	30	36
B, E,	N/A	36
Z200	33 or 36	39 or 42
AX	31	37

**PLEASE NOTE:** Cleaning filter in a dishwasher may cause discoloration. A degreaser (409, Simple Green...) in a sink is recommended.



**NOT APPROVED FOR  
USE IN CANADA**

ISL-360: 7" round



\*Please note some cooktops require the range hood to be mounted higher than 30", see manufacturers specifications

**Ventilation fundamentals:****Length and width**

No range hood on the market is completely effective unless it covers the heat source completely. Wall mounted hoods should extend at least to the front of the cooktop and on a standard cooktop, cover the entire cooktop from left to right. When using a residential commercial cooktop, the hood should overextend the cooktop a minimum of 3" on both the left and right side if possible.

**Height**

The bottom of the hood should be 30" from the cooking surface. It generally provides the most effective and attractive-looking installation. Some cooking appliance manufacturers require wood range hoods to be mounted higher. Please install according to the cooking appliance manufacturers recommendation.

In situations where ducting has several elbows or runs long distances, it is recommended to step up to the next larger blower size.

**Internal Motors**

Internal blowers are mounted inside the wood hood above the metal liner. They push the air through the duct.

Note: Externally mounted blowers are mounted outside the home typically on the roof or an exterior wall. We do not sell externally mounted blowers

**System Noise**


Noise is created in ventilation by air movement. Disrupting air flow with ducting turns increase noise. To minimize noise, run the ducting as straight as possible. The swirling of air within the blower unit also creates noise.

**Back draft prevention:**

Stanisci Design liners do not contain back draft dampers. If the cold or hot air has made its way to the range hood the kitchen will be affected. We recommend wall or roof caps with spring loaded dampers. We do not stock these, however they are readily available in the market.

#### ***REMOVABLE TOP (RT)***

Base of the hood will be installed first with the ventilation. After all hook ups are complete – the chimney top will be attached. You will need a minimum of 3/4" clearance to lower chimney on guides. Cutting or trimming of parts in field will void warranty and compromise structural integrity.




**STANDARD ON THESE MODELS: B, E, E200**




#### **CURVED BATTENS**

Curved Hardwood Battens are available in all of our standard species.




#### **AVAILABLE ON E-SERIES**


36" wide: 2 on face  
42" and 48" wide: 3 on face  
54" and 60" wide: 4 on face  
\* side battens available by request



**E200**



**ER200**



**ER300**

#### **AVAILABLE ON E200, ER200, ER300**

30" – 48" wide: 4 battens on face  
54" and 60" wide: 5 battens on face